

ThinkPad E14 Gen 7 (AMD)

Engineered for agility, this laptop empowers on-the-go professionals with performance that adapts as swiftly as their workday evolves. From architects rendering intricate 3D visuals to analysts managing multi-source datasets, the AMD Ryzen™ 7 200 Series Processor delivers the muscle for uninterrupted multitasking. AI-enhanced workflows thrive with up to 38 overall TOPS, streamlining tasks like real-time transcription, content generation, and predictive modeling. Meanwhile, AMD Radeon™ 780M graphics breathe life into creative suites and CAD environments, while up to 64GB DDR5 memory enables seamless transitions between demanding applications.



Redefining possibilities with powerful performance and groundbreaking on-device AI

The entry-level ThinkPad, E Series features the famous keyboard and trackpoint, and is MIL-SPEC tested ensuring the build quality for which ThinkPad is renowned.

The 14" WUXGA display, with optional multi-touch and 100% sRGB, delivers vibrant clarity ideal for visual editors and field engineers alike. Multiple ports, including USB-A, USB-C®, DisplayPort™, and HDMI, coupled with Intel® Wi-Fi® 6E ensure quick file transfers and reliable connections from cafés to conference rooms.

With up to 2TB M.2 SSD storage, professionals can carry entire projects on the go. Security stays top-notch with discrete TPM 2.0 and an optional fingerprint reader, guarding sensitive data in fast-paced, mobile work environments.

Performance is paramount for mobile users, as the AMD Ryzen™ 7 200 Series Processor, AI capabilities, and up to 64GB DDR5 memory ensure seamless multitasking, while AMD Radeon™ 780M graphics enhance visual tasks, meeting professionals' demanding needs on the go.

Lenovo Services

Lenovo delivers tailored sustainability services, devices, and infrastructure solutions from our broad portfolio, working closely with you to support your target outcomes across the IT lifecycle..



Warranty Extensions

- Purchase additional warranty periods from 1 to 5 years
- Buy at any point with or after your device purchase
- Optional On-site Service

Accessories

Lenovo Go Wired Speakerphone

- Microsoft Teams certified, omni-directional far-field 2x microphones array
- Portable plug-and-play capabilities and effortless PC UC support
- Comes with intuitive control with volume wheel, tactile keys, and readable LEDs



PN: 4XD1C82055, GXD1C82051

ThinkPad Bluetooth Silent Mouse

- Left/Right hand, easy-to-carry low profile mouse
- Switch between 2 devices with dual-host Bluetooth 5.0 connectivity
- 2-way scrolling with on-the-fly DPI adjustment (2400, 1600, 800)



PN: With Battery : 4Y50X88822 Without Battery : 4Y50X88823

ThinkPad E14 Gen 7 (AMD)

Performance

Processor

AMD Ryzen 5 PRO 200 Series Processor
AMD Ryzen 3 / 5 / 7 200 Series Processor

AI PC Category*

AI PC

Operating System*

Windows 11 Pro or Home

NPU*

Integrated AMD Ryzen AI, up to 16 TOPS*

Graphics

AMD Radeon 740M (integrated)
AMD Radeon 760M (integrated)
AMD Radeon 780M (integrated)

Memory

Up to 64GB DDR5-5600, 2x SODIMM

Storage

Up to two M.2 PCIe NVMe SSD
M.2 2242 SSD up to 1TB
M.2 2280 SSD up to 1TB

Audio*

High Definition (HD) Audio
audio by HARMAN stereo speakers, 2W x2, Dolby Atmos
Dual-microphone array, 360° far-field, smart noise-cancelling

Camera*

HD 720p, with privacy shutter
FHD 1080p + IR hybrid, with privacy shutter, temporal noise reduction
5.0MP, with privacy shutter, temporal noise reduction

Battery

48Wh or 64Wh battery, up to 11.38 hr
48Wh battery supports Rapid Charge Pro
64Wh battery supports Rapid Charge

Power Adapter*

65W USB-C adapter, PD 3.0
65W USB-C slim adapter, PD 3.0

Design

Display

14" WUXGA (1920x1200) IPS Anti-glare 16:10
- 300nits, 45% NTSC, 60Hz
- 300nits, 45% NTSC, 60Hz, touch
- 300nits, 100% sRGB, 60Hz, TÜV Low Blue Light (Hardware Solution)

Screen-to-Body Ratio

90%

Keyboard

6-row, spill-resistant, Copilot key, optional backlight

Touchpad

TrackPoint and Mylar surface TrackPad
60 x 115 mm (2.36 x 4.53 inches)

Dimensions

Models with aluminium (top) and aluminium (bottom)
313 x 220.3 x 10.1/15.25 (front/rear), 19.7 (maximum) mm
12.32 x 8.67 x 0.40/0.60 (front/rear), 0.78 (maximum) inches

Models with aluminium (top) and PC-ABS (bottom)
313 x 220.3 x 10.1/15.25 (front/rear), 20.5 (maximum) mm
12.32 x 8.67 x 0.40/0.60 (front/rear), 0.81 (maximum) inches

Weight

Starting at 1.41 kg (3.11 lbs)

Color

Black
Grey

Case material

Aluminium (top), aluminium (bottom)
Aluminium (top), PC-ABS (bottom)

Connectivity

Ethernet*

Gigabit onboard Ethernet

WLAN + Bluetooth*

802.11ax (Wi-Fi 6 or Wi-Fi 6E), Bluetooth 5.3
802.11be (Wi-Fi 7), Bluetooth 5.4
Up to MediaTek Wi-Fi 7 MT7925, 802.11be, Bluetooth 5.4

Ports

1x USB-A (USB 5Gbps / USB 3.2 Gen 1)
1x USB-A (USB 10Gbps / USB 3.2 Gen 2), Always On
1x USB-C (USB 5Gbps / USB 3.2 Gen 1), with USB PD 15-65W & DP 1.4
1x USB-C (USB4 40Gbps), with USB PD 15-65W & DP 1.4a
1x HDMI 2.1, up to 4K/60Hz
1x Ethernet (RJ-45)
1x Headphone / microphone combo jack (3.5mm)

Docking

Docking support via USB-C

Security & Privacy

Security

ThinkShield
Discrete TPM 2.0 and Microsoft Pluton TPM 2.0
Kensington Nano Security Slot
Touch style MOC fingerprint reader*
Camera privacy shutter
IR camera for Windows Hello (facial recognition)*

Environmental

Material

50% recycled aluminium on top cover
50% PCC recycled plastic used in display panel frame
50% recycled aluminium on metal bottom cover
50% PCC recycled plastic used in PC-ABS bottom cover
90% PCC recycled plastic used in battery pack enclosure
85% PCC recycled plastic used in key caps (backlight)
70% PCC recycled plastic used in key caps (non-backlight)
90% PCC recycled plastic used in speaker enclosure
90% PCC recycled plastic used in standard 65W adapter
FSC carton and accessory box
FSC paper screen sheet
Bamboo fiber NB bag
Paper cushion
Paper sealing label

Certifications

Green Certifications

ENERGY STAR 9.0
EPEAT Gold Registered
ErP Lot 6/26
TCO Certified, generation 10
RoHS compliant

Other Certifications

TÜV Rheinland Low Blue Light (Hardware Solution)*
TÜV Rheinland Low Blue Light (Software Solution)*
MIL-STD-810H